

“Vistafolia[®]’s Luxury Boxwood Panels have been designed to create a beautiful green environment with a realistic effect even in the most inhospitable planting locations”.

PRODUCT DESCRIPTION

The standard size panel comprises UV Stabilised & Fire Rated artificial foliage fixed with stainless steel ties to a powder coated

FEATURES

- Over lapping foliage removes join lines
- Durable panels manufactured to ISO 9001
- UV & Fire Rated with test certificates
- REACH Compliant
- Quick and easy installation
- Realistic Boxwood plant texture and colour
- Customisable with a range of Colour & Texture boxes

Quality Standards / Certification:

UV Test: BS EN ISO 4892-2: 2013 - ‘Plastics - Methods of Exposure to Laboratory Light Sources - Xenon-arc lamps.

Reaction to fire classification: B-s1, d0. BS EN ISO 13501-1:2007+A1:2009 Fire classification of construction products and building elements. Part 1: Classification using data from reaction to fire tests. Test to flammability UL94HB classified HB.

Freeze/Thaw test: MIL-STD-810G Method 524.

For more information see our Vistafolia[®] Technical Guide

TECHNICAL SPECIFICATIONS

Standard Size Panel	Height: 800 mm -31.5” Width: 800 mm -31.5” Depth: up to 125 mm -5”
Coverage	1 Panel = 0.64 sqm
Weight	Approx. 5 kg per panel 13.25 pounds
Distribution	65 plants per panel
Colour Reference	Mixed colours
Manufacturing process	Injection moulded polyethylene / Foliage fixed to the grid manually
Packing	Box of four panels.
Warranty	5-year in the UK



UV - IFR
Technology



Quality
Standard



Tested &
Certified



5 Year UK
Warranty




Low
Maintenance



Recyclable*
*Check with local authority

PANEL PROFILE

1 Panel = 0.64 sqm



The Vistafolia[®] Luxury Boxwood Panel was designed with a small allocation of 'planting overlap' to allow for seamless installation of multiple panels. The top overlap is slightly greater than the bottom one whereas the side overlaps are the same. The overlap also serves to disguise the grid that holds the plants.